Delock Adapter HDMI-A male to DisplayPort female 4K 60 Hz

Description

This adapter by Delock enables the connection of **a DisplayPort monitor to a free HDMI interface** of a PC or laptop. The adapter will be connected to the HDMI connector of the PC or laptop and connected with an existing DisplayPort cable.

Note

In case of signal disturbances such as image flickering, the USB power cable included in the package content should be connected.



Item no. 63206

EAN: 4043619632060

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
  Input:
  1 x HDMI-A male
  1 x USB Type Micro-B female (5 V power supply)
  Output:
  1 x DisplayPort female
- Chipset: Lontium LT6711A
- DisplayPort 1.2 and High Speed HDMI specification
- Signal direction: HDMI input > DisplayPort output
- Resolution up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports HDCP 1.4 and 2.2
- Supports HDR
- Supports 3D displays
- Colour: black
- Cable length without connectors: ca. 24 cm

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

System requirements

- A free HDMI-A female
- Monitor with a free DisplayPort interface

Package content

- Adapter HDMI to DisplayPort
- USB Type Micro-B to Type-A cable, length ca. 1 m

Images



© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.

General

Function:	HDR / HDR10

Interface

Output:	1 x DisplayPort female
Input:	1 x HDMI-A male 1 x USB Type Micro-B female (5 V power supply)

Technical characteristics

Chipset:	Lontium LT6711A
Maximum screen resolution:	3840 x 2160 @ 60 Hz

© 2024 by Delock. All names and symbols mentioned here are property of the respective producer.
Printing errors, changes and errors excepted.